





SEWAGE FLOWERS VALVE




下水道用

| | |
|--------------|-----|
| ゲートバルブ | 下水1 |
| バタフライバルブ・偏心弁 | 下水1 |
| スイングチャッキバルブ | 下水2 |
| ボールチャッキバルブ | 下水2 |
| 空気抜き弁・継手 | 下水3 |





ゲートバルブ

| 名称 | ゲート | | ゲート | | 電動機付ゲート | | 電動機付ゲート | |
|----------|---|-----------|---|-----------|---|----|---|----|
| 外観 | 7.5K | | 10K JIS | | 7.5K | | 10K | |
| |  | |  | |  | |  | |
| 製品記号 | 7.5FCLUS / G-7.5FCLUS | | 10FCLUS / G-10FCLUS | | E-7.5FCLUSK | | E-10FCLUS | |
| 呼び径 | 面間(mm) | 価格 | 面間(mm) | 価格 | 面間(mm) | 価格 | 面間(mm) | 価格 |
| 40 1 1/2 | | | 165.0 | 55,500 | | | | |
| 50 2 | 180.0 | 74,300 | 180.0 ● | 58,800 | | | 180.0 | ◎ |
| 65 2 1/2 | | | 190.0 ● | 68,400 | | | 190.0 | ◎ |
| 75 | 240.0 | 113,000 | | | | | | |
| 80 3 | | | 200.0 ● | 84,600 | | | 200.0 | ◎ |
| 100 4 | 250.0 | 146,000 | 230.0 ● | 122,000 | 250.0 | ◎ | 230.0 | ◎ |
| 125 5 | 260.0 | 222,000 | 250.0 ● | 170,000 | 260.0 | ◎ | 250.0 | ◎ |
| 150 6 | 280.0 | 262,000 | 270.0 ● | 225,000 | 280.0 | ◎ | 270.0 | ◎ |
| 200 8 | 300.0 | 377,000 | 290.0 ● | 361,000 | 300.0 | ◎ | 290.0 | ◎ |
| 250 10 | 380.0 | 582,000 | 330.0 ● | 554,000 | 380.0 | ◎ | 330.0 | ◎ |
| 300 12 | 400.0 | 747,000 | 350.0 ● | 712,000 | 400.0 | ◎ | 350.0 | ◎ |
| 350 14 | 430.0 * | 1,334,000 | 381.0 | 1,225,000 | 430.0 | ◎ | 381.0 | ◎ |
| 400 16 | 470.0 * | 2,195,000 | 406.0 | 2,108,000 | 470.0 | ◎ | 406.0 | ◎ |
| 450 18 | 500.0 * | 2,858,000 | 432.0 | 2,743,000 | 500.0 | ◎ | 432.0 | ◎ |
| 500 20 | 530.0 * | 3,723,000 | 457.0 | 3,572,000 | 530.0 | ◎ | 457.0 | ◎ |
| 600 24 | 560.0 G | 5,017,000 | 508.0 G | 4,689,000 | 560.0 | ◎ | 508.0 | ◎ |
| 備考 | *: ギヤ操作機対応可 | | ●: JIS B2031 | | | | | |






バタフライバルブ・偏心弁

| 名称 | バタフライバルブ | | バタフライバルブ | | 偏心弁 | |
|---------|---|-----------|---|-----------|---|-----------|
| 外観 | 7.5K | | 10K | | 7.5K | |
| |  | |  | |  | |
| 製品記号 | G-7.5SGBFS | | G-10SGBFS | | G-7.5SVB | |
| 呼び径 | 面間(mm) | 価格 | 面間(mm) | 価格 | 面間(mm) | 価格 |
| 75 | | | | | 240.0 | 372,000 |
| 100 4 | | | | | 250.0 | 402,000 |
| 125 5 | | | | | 260.0 | 503,000 |
| 150 6 | | | | | 280.0 | 525,000 |
| 200 8 | 300.0 | 1,088,000 | 300.0 | 1,035,000 | 300.0 | 720,000 |
| 250 10 | 380.0 | 1,290,000 | 380.0 | 1,224,000 | 380.0 | 1,038,000 |
| 300 12 | 400.0 | 1,537,000 | 400.0 | 1,464,000 | 400.0 | 1,500,000 |
| 350 14 | 430.0 | 1,821,000 | 430.0 | 1,728,000 | | |
| 400 16 | 470.0 | 2,116,000 | 470.0 | 1,943,000 | | |
| 450 18 | 500.0 | 2,368,000 | 500.0 | 2,275,000 | | |
| 500 20 | 530.0 | 2,551,000 | 530.0 | 2,451,000 | | |
| 600 24 | 560.0 | 3,112,000 | 560.0 | 2,989,000 | | |
| 700 28 | 610.0 | ◎ | 610.0 | ◎ | | |
| 800 32 | 690.0 | ◎ | 690.0 | ◎ | | |
| 900 36 | 740.0 | ◎ | 740.0 | ◎ | | |
| 1000 40 | 770.0 | ◎ | 770.0 | ◎ | | |
| 1100 44 | 800.0 | ◎ | 800.0 | ◎ | | |
| 1200 48 | 820.0 | ◎ | 820.0 | ◎ | | |
| 1350 54 | 850.0 | ◎ | 850.0 | ◎ | | |
| 1500 60 | 900.0 | ◎ | 900.0 | ◎ | | |
| 備考 | | | | | | |

スイングチャッキバルブ

| 名称 | スイングチャッキ | | スイングチャッキ | | スイングチャッキ | | スイングチャッキ | |
|--------|---|-----------|---|-----------|--|-----------|---|-----------|
| 外観 |  | |  | |  | |  | |
| | 製品記号 | 7.5FCOUS | 7.5FCORS | 10FCOUS | 10FCORS | | | |
| 呼び径 | 面間(mm) | 価格 | 面間(mm) | 価格 | 面間(mm) | 価格 | 面間(mm) | 価格 |
| 40 1½ | | | | | 190.0 | 50,100 | 190.0 | 72,000 |
| 50 2 | 200.0 | 61,900 | 200.0 | 85,400 | 200.0 ● | 53,000 | 200.0 | 75,400 |
| 65 2½ | | | | | 220.0 ● | 66,600 | 220.0 | 89,000 |
| 75 | 240.0 | 96,900 | 240.0 | 122,000 | | | | |
| 80 3 | | | | | 240.0 ● | 80,200 | 240.0 | 107,000 |
| 100 4 | 290.0 | 126,000 | 290.0 | 158,000 | 290.0 ● | 116,000 | 290.0 | 145,000 |
| 125 5 | 360.0 | 188,000 | 360.0 | 223,000 | 360.0 ● | 179,000 | 360.0 | 210,000 |
| 150 6 | 410.0 | 245,000 | 410.0 | 277,000 | 410.0 ● | 229,000 | 410.0 | 264,000 |
| 200 8 | 500.0 | 376,000 | 500.0 | 419,000 | 500.0 ● | 364,000 | 500.0 | 405,000 |
| 250 10 | 620.0 | 636,000 | 620.0 | 693,000 | 620.0 | 617,000 | 620.0 | 669,000 |
| 300 12 | 700.0 | 1,036,000 | 700.0 | 1,100,000 | 700.0 | 831,000 | 700.0 | 890,000 |
| 350 14 | 787.0 | 1,384,000 | 787.0 | 1,462,000 | 787.0 | 1,367,000 | 787.0 | 1,409,000 |
| 備考 | | | ジスク：NBR | | ●：JIS B2031 | | ジスク：NBR | |

ボールチャッキバルブ

| 名称 | ボールチャッキ | | ボールチャッキ | | ボールチャッキ | | ボールチャッキ | | ボールチャッキ | |
|-------|---|---------|---|---------|--|---------|---|--------|---|-------|
| 外観 |  | |  | |  | |  | |  | |
| | 製品記号 | 10FCFTN | 10UFT | 10UFTE | UFTE | VFTS | | | | |
| 呼び径 | 面間(mm) | 価格 | 面間(mm) | 価格 | 面間(mm) | 価格 | 面間(mm) | 価格 | 面間(mm) | 価格 |
| 32 1¼ | | | | | | | 105.0 | 44,400 | | |
| 40 1½ | 190.0 | 61,100 | 190.0 | 109,000 | | | | | | |
| 50 2 | 200.0 | 65,100 | 200.0 | 121,000 | 200.0 | 130,000 | | | 235.0 | 7,920 |
| 65 2½ | 220.0 | 81,200 | 220.0 | 182,000 | 220.0 | 196,000 | | | | |
| 80 3 | 240.0 | 109,000 | 240.0 | 209,000 | 240.0 | 226,000 | | | | |
| 100 4 | 290.0 | 162,000 | 290.0 | 277,000 | 290.0 | 300,000 | | | | |
| 125 5 | 360.0 | 251,000 | | | | | | | | |
| 150 6 | 410.0 | 277,000 | 410.0 | 520,000 | 410.0 | 556,000 | | | | |
| 200 8 | | | | | 500.0 | 992,000 | | | | |
| 備考 | 垂直配管用 | | 垂直配管用 | | 水平・垂直配管用 | | 垂直配管用 | | 水平・垂直配管用 | |

空気抜き弁・継手

| 名称 | 空気抜き弁 | | 空気抜き弁 | | L型両ニップル | | J型片ニップル | |
|-------------------|---|--------|---|--------|---|-------|---|--------|
| 外観 |  | |  | |  | |  | |
| 製品記号 | UFTA | | VFTA | | PNL | | PKJ | |
| 呼び径 | 面間(mm) | 価格 | 面間(mm) | 価格 | 接続径 | 価格 | 接続径 | 価格 |
| 20 ^{3/4} | 80,0 | 44,400 | 80,0 | 10,300 | R ^{3/4} | 9,390 | R ^{3/4} | 11,700 |
| 25 1 | 80,0 | 49,400 | | | R1 | 9,850 | R1 | 12,700 |
| 備考 | 垂直配管用 | | 垂直配管用 | | RoHS指令相当品 | | RoHS指令相当品 | |